

**GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT**

Industrial Water Supply - Permission for drawal 0.084 TMC water per year from Ramannapadu Balancing Reservoir to M/s Krishnaveni Sugars Limited., Ramakrishnapur village, Kothakota Mandal, Mahabubnagar District – Permission accorded – Orders – Issued.

-----

**IRRIGATION & CAD (PW-REFORMS) DEPARTMENT**

**G.O.Ms.No. 4**

**Dated: 20-01-2010**

Read the following:-

1. From the General Manager, M/s Krishnaveni Sugars Limited, Mahabubnagar, Lr.No. KSL/GH/Irrigation/158/08-09, dt. 30-05-2008.
2. From the Chief Engineer ,(Projects), Mahabubnagar , Lr.No. DCE.I/ OT8/AEE2 /General/2007, dt. 17-7-2008.
3. From the Chief Engineer, Inter-State Water Resources, Hyderabad, Lr. No. (K)/7527 /89,Vol.III, dt. 3-10-2008.
4. From the Chief Engineer, (Projects), Mahabubnagar/Krishnaveni Sugars/3819, dt. 23.3.2009.

**ORDER:**

The General Manager, M/s Krishnaveni Sugars Limited, Mahabubnagar, in the letter 1<sup>st</sup> read above has informed that they propose to establish a new Mega Green Field Sugar Project comprising of 7500 TCD crushing capacity sugar plant along with 40 MV C0-Gen power Plant and 120 KLPD Distillery at Ramakrishnapur village, Kothakota Mandal , Mahabubnagar District, and requested to accord permission to draw 0.084 TMC of water per year from Downstream of Ramannapadu Balancing Reservoir to meet the requirement of their plant.

2. The Chief Engineer (Projects), Mahabubnagar, in his letter 2<sup>nd</sup> read above has stated that the above Company is requesting to draw water from Ramannapadu Balancing Reservoir itself instead of Okachetty Vagu (located Downstream of Ramannapadu Balancing Reservoir) to have more reliability for availability of water for their proposed sugar plant an Agro-based Industry which is very useful for the farming community of the District and helps for Rural development. He has requested to accord permission for the drawl of 0.084 TMC of water per year from Ramannapadu Balancing Reservoir by M/s Krishnaveni Sugars Limited, Kothakota, Mahabubnagar District.

3. The Chief Engineer, Inter-State and Water Resources ,Hyderabad, who was consulted in the matter has stated in the letter 3<sup>rd</sup> read above that the water required by the firm is relatively small, the proposal at para 2 above, may be considered subject to the terms and conditions stipulated by the CE, (P), Mahabubnagar and that there shall not be any affect on upper and lower riparian rights on account of drawal of 0.084 TMC of water by the firm.

4. Government after careful examination of the proposal hereby accord permission to the CE(P), Mahabubnagar, to supply 0.084 TMC of water per year from Ramannapadu Balancing Reservoir to M/s Krishnaveni Sugars Limited, Mahabubnagar, subject to the following conditions:-

- (i) The water will be spared based on the availability of water in the Ramannapadu Balancing Reservoir.
- (ii) The Industry has to make other alternative arrangement at their own cost and also establish measuring device to measure the water drawn by them.

Contd.P.2

//2//

- (iii) The cost of construction of pipeline at in-take borewell shall be borne by the Industry .
  - (iv) The Industry should pay the water rate as per G.O.Ms.No.39, I&CAD (PW) Department dated 2.4.2002 and as revised by the Government from time to time.
  - (v) The firm has to pay rental charges for the Government land utilized by the Industry at 10% of the land value.
  - (vi) Obtaining any other permission required from other departments is the responsibility of the Industry only.
  - (vii) The Industry has to make their own arrangements to store water at the time of surplus release of water by constructing a storage tank for the said purpose.
  - (viii) The firm should not let out any effluents from their firm to out side and they have to establish effluent treatment plant in the premises of their Industry duly obtaining the consent order from Andhra Pradesh Pollution Control Board.
  - (ix) The Irrigation Department is no way responsible for non-supply of water to the Industry.
  - (x) Violation of the stipulated conditions entail the cancellation of permission accorded for drawl of water.
  - (xi) The permission shall be for a period of 5 years only.
  - (xii) This permission does not confirm any riparian right to the Industry and Govt. reserves the right for cancellation of the permission without assigning any reasons thereof.
  - (xiii) Prior concurrence of the R&B Department or PR Department (as the case may be) should be obtained by the Industry for laying the pipes across Roads etc.
  - (xiv) The Industry should obtain prior permission of District Collector Mahabubnagar.
5. The Chief Engineer (P), Mahabubnagar, shall take necessary further action accordingly in the matter.

( BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**ADITYA NATH DAS**  
**SECRETARY TO GOVERNMENT**

To  
The Engineer-in-Chief , Irrigation, Irrgn. & CAD Dept., Jalasoudha Building, Erramanzil, Hyderabad.  
The Chief Engineer (Projects), Irrigation & CAD Dept., Mahabubnagar .  
Copy to:  
The Chief Engineer, Inter-State and Water Resources, Jalasoudha Building, Erramanzil, Hyderabad.  
The District Collector, Mahabubnagar.  
The Managing Director, A.P. Pollution Control Board, Hyderabad.  
SF/SC.

**// FORWARDED :: BY ORDER //**

**SECTION OFFICER**